


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 1702
TRUNK HIGHWAY 30
COUNTY Cottonwood
DISTRICT 78

LIMITS: Jct. T.H. 71 - E. Co. Line

YEAR BUILT	PROJECT N°	DESCRIPTION		REMARKS	CODE N°
		TYPE	WIDTH THICKNESS		
1920		Gravel	24' 1 1/2"	Added in 1934	
1920		Gravel	30' 1 1/2"	Brown Co. Job 2002. Added in 1934.	
		Br. 8164	16'	18 B.S.	
1927		Gravel	26' 2 1/2"	Co. Job 2702 Added in 1934. 1200 C.Y./M.	
		Br. 4163	20'	40' L.T.	
1935		Oil Tr. Gravel	V.V. 1 1/2"	10000 Gal./Mile. Maint. Dept.	
		Gravel	24'	No Record of Constr. Added in 1939.	
		Br. 7 Br. 7	16'	36' L.T. & 22' B.S.	
1939	1702-01A & B	Grading	24'	W86X60.	
		Br. 5412		30' B.S.	
		Br. 5834	30'		
C	1940 1702-02	Seeding		Maint. Dept.	
		A.F.E. 4			
M	1947 A.F.E. 6	Grav. Resurfacing	24'	1108 C.Y.	
M	1950 A.F.E. 6	Grav. Resurfacing		5433 Tons	
C	1964 1702-04	Grading	45'		
		Gr. wearing course			
C	1965 1702-05	Sand-Gravel Subbase	8"		
		Gravel & Bit. Base	3' 1"		
		Plant. mix. Bit. Surf.	24' 2"		
M	1968 C	Light Bit Seal	24'	CRS-1, 20, 169 Gal. Agg. 786 C.Y.	
M	1978 SF	Bit. Spot Overlay	1 1/2"	Pl. Mix AC	
M	1976 SF	Bit. Spot Overlay	1 1/2"	Pl. Mix AC WEARING	



YEARS FROM TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN		REMARKS
		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	
1934 1935	12.31	12.31	0.01	0.99	0.00	13.30	0.01	0.00	0.00	REMARKS: Layout to scale as of 1939
1939	12.39	12.39	0.01	0.00	0.00	12.39	0.01	0.00	0.00	

