


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 2307
TRUNK HIGHWAY 43
COUNTY Fillmore
DISTRICT 6A

LIMITS: N. Jct. T.H. 16 in Rushford - N. Co. Line



YEAR BUILT	PROJECT NO.	DESCRIPTION			CODE NO.
		TYPE	WIDTH	THICKNESS	
		Gravel	24'	2"	No Record of Constr.
1928		Oil Tr. Gravel	20'		Maint. Dept.
		Oil Tr. Gravel	20'		No Record of Constr. Taken over from City in 1930.
1933	43-43-21-1A	Grading Br. 5239 Br. 5257	40' 27' 27'		300 T.P.G. 75' L.T.
1934	43-43-21-1A	Waterbound Mac.	22'	7"	
1935	43-43-21-1A	Bit. Plant Mix	22'	2"	Coarse Graded.
1936	43-43-21-1A	Misc. Constr.			
M	1940 A.F.E. 17	Bit. Seal Coat			AE-1, 3471 Gal./Mi. Agg. 61 C.Y./Mi. Maint. Dept.
C	1945 A.F.E. 25	Bit. Resurfacing Plant Mix Bit.	22'	7/8" added	Lev. Course 41 Tons Wear Course 1945 Tons Maint. Div.
C	1946 A.F.E. 16 A.F.E. 36	Bit. Resurfacing Mixed Bit. Drainage	22'-4"	1" added	MC3 11660 Gal. Agg. 532 C.Y.
M	1946 A.F.E. 5	Bit. Seal Coat	22'		AE-1, 8906 Gal. Agg. 255 C.Y.
M	1950 A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC-3, 1971 Gal. Agg. 80 C.Y.
M	1953 A.F.E. 605	Light Bit. Seal			RCS-2 & 3, 6155 Gal. Agg. 230 C.Y.
M	1956 A.F.E. 604	Bit. Surf. Repair	24'		Bit. 94 Gal.



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1929	5.09	1.80	0.00	1.29	0.00	1.80	0.00	1.29	0.00
1930	1932	3.23	1.80	0.00	1.43	0.00	1.80	0.00	1.43	0.00
1933	1950	3.45	2.26	0.01	1.12	0.06	2.26	0.01	1.12	0.06
1951		3.45	0.00	0.00	3.38	0.07	2.26	0.01	1.12	0.06

REMARKS: Layout is to scale as of 1933

