FORM R.L.-7 REV. 2-40

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4601
TRUNK HIGHWAY 4
COUNTY Martin
DISTRICT 7B

LIMITS: S. State Line - Jct. T.H. 90



YEAR BUILT	PROJECT Nº	DESCRIPTION: TYPE	WIDTH	THICKNESS	REMARKS	CODE Nº
					No Record of Constr.	
		Gravel (1)	18-20	1'-2"	Added in 1934	
		Br. X-596, X-597 & 1040	16-20		18' B.S.; 30' L.T. & 60' B.S.	
1936	4-84-21-1	Grading	32'			
		Br. 3572			W 1210 D.	
	(2)					
1936	4-84-21-1	Gravel	24'	1½"		
					Maint. Dept.	
1936	A.F.E. 28	Oil Tr. Gravel	30'	1"	10000 Gal./Mile.	
					Maint. Dept.	
1937	A.F.E. 8	Seeding				
					Maint. Dept.	
1938		Br. 887	30'		28' B.S.	
M 1940	A.F.E. 9	Regravelling			335 C.Y./Mile.	
					Maint. Dept.	
C 1941	4601-02	Br. 3572			Lower floor 2'-8"	
C 1941	A.F.E. 14	Bit. Surf. Treat.	24'	¾"	SC4-8800 Gal./Mi.	
					Grav. 445 C.Y./Mi.	
					Maint. Dept.	
M 1942	A.F.E. 4	Bit. Retreat.	24'		SC3, 4643 Gal./Mi.	
					Grav. 236 C.Y./Mi.	
					Maint. Dept.	
M 1943	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC3, 2207 Gal./Mi.	
					Grav. 149 C.Y./Mi.	
					Maint. Dept.	
M 1943	A.F.E. 6	Grav. Resurface (Spots)			169 C.Y./Mi.	
					Maint. Dept.	
M 1944	A.F.E. 4	Bit. Surf. Repair	24'		MC-3, 6258 Gal./Mi.	
					Grav. 205 C.Y./Mi.	
					Maint. Div.	
M 1945	A.F.E. 6	Grav. Resurfacing (Spots)			276 C.Y./Mi.	
					Maint. Div.	



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.
1934	1935	10.02	9.65	0.02	0.37	0.00	10.00	0.02	0.00	0.00
1936	1949	10.10	9.71	0.02	0.37	0.00	10.08	0.02	0.00	0.00
1950	1954	10.12	9.72	0.02	0.38	0.00	10.10	0.02	0.00	0.00
1955	1959	10.13	9.73	0.02	0.38	0.00	10.11	0.02	0.00	0.00
1960	1974	10.13	9.64	0.02	0.47	0.00	10.11	0.02	0.00	0.00
1975		13.45	11.66	0.02	1.77	—	12.13	0.02	1.30	—

REMARKS: Layout is to scale as of 1936

(1) Br. X-597 built in 1906 & Br. 1040 built in 1913
(2) This work not done under this project number but lies within the limits of this project

FORM R.L.-7 REV. 2-40

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4601
TRUNK HIGHWAY 4
COUNTY Martin
DISTRICT 7B

LIMITS: S. State Line - Jct. T.H. 90

YEAR BUILT	PROJECT Nº	DESCRIPTION: TYPE	WIDTH	THICKNESS	REMARKS	CODE Nº
C		Bit. Resurfacing			MC-3, 9933 Gal./Mi.	
1945	A.F.E. 4	Mixed Bit.	24'-30'	1" added	Grav. 489 C.Y./Mi.	
					Maint. Div.	
C		Bit. Resurfacing			SC-3, 48166 Gal.	
1946	A.F.E. 16	Mixed Bit.	24'	1 1/8" added	Agg. 2316 C.Y.	
M						
1946	A.F.E. 6	Grav. Resurfacing			1550 C.Y.	
M		Spot Treat.			SC-4 & RC-4, 17124 Gal.	
1947	A.F.E. 4	Bit. Surf. Repair	24'		Agg. 546 C.Y.	
M		Spot Treat.			SC-4, 9535 Gal.	
1948	A.F.E. 4	Bit. Surf. Repair	24'		Agg. 483 C.Y.	
C		Grading	32'			
1950	4601-04	Salvaged Bit. or Gravel	24'	1 2/5"	700 CY./Mi.	
	4601-05	Br. 6649	30'		70' B.S.	
M		Spot Treat.			RCS-1, 9385 Gal.	
1950	A.F.E. 4	Bit. Surf. Repair	24'		Agg. 328 C.Y.	
		Bit. Fog Seal	24'			
C		Gravel Base	28'	6"-18"		
1952	4601-07	Mixed Bit.	26'	1"		
M					RC-2, 19582 Gal.	
1954	A.F.E. 605	Light Bit. Seal	26'		Agg. 678 C.Y.	
C		Grading	28'			
1955	4601-08	Bit. Stab. Base	28'	10"	Lower 9" Salv. Mixture	
		Plant Mix Bit.	24'	2"		
M					RS-2, 17846 Gal.	
1957	A.F.E. 605	Light Bit. Seal	27'		Agg. 615 C.Y.	
C						
1958	4601-09	Plant Mix Bit.	24'	1½"-3" added		
M					RS-2, 17603 Gal.	
1959	A.F.E. 605	Light Bit. Seal	25'		Agg. 605 C.Y.	
M					RS-2K, 18036 Gal.	
1963		Light Bit. Seal	25'		Agg. 640 C.Y.	





YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.

REMARKS: See Sheet Nº 1

FORM R.L.-7 REV. 7-74

PREPARED BY
TRANSPORTATION PLANNING AND PROGRAMMING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4601
TRUNK HIGHWAY 4
COUNTY Martin
DISTRICT 7B

LIMITS: S. State Line - Jct. T.H. 90

Ref. Pt. 000+00.000 - 013+00.442



YEAR BUILT	PROJECT NO	DESCRIPTION: TYPE	WIDTH	THICKNESS	REMARKS
C	-13	Plant Mix Bit. Surf.	24'	2½"	
		Gravel Shlds.	3'		
M 1971	4605-05	Plant Mix. Resurf	20'-24'	2½"	Transferred in from C.S. 4605 in 1975
C 1971	4606-18	Plant Mix Bit. Surf	Var.	2½"	Transferred in from C.S. 4605 in 1975
C 1956	4602-16	Shoulder Grading Salv. Agg. Base Concrete	22'-24' 22'	6" min. 8-9"	Transferred in from C.S 4602
C 1973	4680-24	Shldr. Widening	11"		
M 1978	SF	Bit. Seal Coat			CRS-2 & FA-2 Mod.
C 1978	SF	Grading & Surfacing Br. 46003	24'	3"	111.7' Pre. Conc. B.S Repl. Br. 3923
C 1982	4601-20	Salvage Light Bases Fix & Install Breakaway Light Bases			7 Total in Sherburne
M 1984	SF	Sand Seal Coat	24'		CRS-2 & Sand
M 1984	SF	Spot Bit. Overlay	24'	1½"	Sp. 2331 336 Tons
C 1985	4601-21	Bit. Widening	4'	7"	Lt. & Rt. Sp. 2331
		Bit. Surfacing	28'	4½"	
		Agg. Shoulders	4'	Var.	Tons Lanes
M 1985	SF	Spot Bit. Overlay	24'	1½"	Sp. 2331 2822 Tons
M 1986	SF	Spot Overlay	24'	1½"	Spec. 2331
M 1986	SF	Bit. Sealing			



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.

REMARKS: See Sheet 1

FORM RL-7

PREPARED BY
BUREAU OF POLICY & PLANNING
IN COOPERATION WITH
U. S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4601
TRUNK HIGHWAY 4
COUNTY Martin
DISTRICT 7B

LIMITS: S. State Line - Jct. T.H. 90

Ref. Pt. 000+00.000 - 013+00.442



YEAR BUILT	PROJECT No	DESCRIPTION: TYPE	WIDTH	THICKNESS	REMARKS
M 1986	SF	Gravel Shouldering	4'	2"	
M 1987	SF	Bit. Overlay	24'	1½"	Spec. 2331
M 1987	SF	Bit. Sealing			
C 1997	4601-25	Bit. Overlay	24'	3"	Spec. 2331, 2341
M 2000	8827-11	Major Crack Repair			
M 2004	4601-27	Bit. Joint Repair	24'		
C 2004	4601-26	Milling Bit.	28'	3"	
		Bit. Surfacing	28'	3"	Spec. 2360
C 2015	4601-30	App. Grading	var.	10"	Class 6
		Bit. Surfacing	28'	6"	Spec. 2360
		Br. 46X01 & 46001			
C 2019	4601-32	Grading			
		Milling	var.	2.5"	Spec. 2360
		Bit. Overlay	var.	3"	



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.

REMARKS: