

PREPARED BY
TRAFFIC AND PLANNING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

Interstate

CONTROL SECTION 5080B
TRUNK HIGHWAY 90
COUNTY Mower
DISTRICT 6B

LIMITS: Jct. T.H. 56-N Co. Line

YEAR BUILT	PROJECT NO.	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
C	5080-02	Grading Sand-Gravel Sub-base Br's 8963 & 8964	2@25' 2@27'	6"	Divided Highway Both C114111
C	5080-52	P.C. Concrete	2@24'	9"	
1962	5080-18	Br. 9506			20' B.S.-UP
	5080-19	Br. 9507			223' B.S.-UP
C	5080-14	Grading Sub-base Base P.C. Concrete	2-51' 6'x3' 2-24'	9"	Divided Highway Base & Surf for 3.70 mi Br. 8965 C1210 D
C	5080-15	Grading Br. 9705 br. 9706	2-51'		Divided Highway 267' P.G.S. - UP 270' P.G.S. - UP
C	5080-66	Sand Gravel Sub-base Gravel Base P.C. Concrete	2-49' 2-47' 2-24'	3" 2 1/4" 9"	
C	5080-9677	Br. 9677			223' P.C.-UP
1963	5080-9678	Br. 9678			279' B.S.-UP
	5080-9679	Br. 9679			280' P.G.-UP
C	5080-50801	Br. 50801			208' P.G.S. UP
1963	5080-9680	Br. 9680			229' B.S.-UP
M	C	Light Bit. Seal on Shoulders	25'		CRS-1, 20814 Gal. Agg. 697 C.Y.
M	SF	Bit Shoulder Repair	Var.		See Sheet A1
M	SF	Joint Seal			
C	5080-L1	Resealing Concrete Pavement Joints			169,994 Lin. Ft.
M	SF	FOR SEAL SHOULDERS	10'		CS-1 3000 GAL
M	SF	FOR SEAL SHOULDERS	10'		SS1H 2400 GAL
M	SF	CLEAN, SAW & RESEAL JOINTS IN CONC. PAVT.			



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1962	1962	6.18	6.18	0.00	0.00	6.18	0.00	0.00	0.00	
1963		20.84	20.07	0.00	0.77	20.84	0.00	0.00	0.00	


REMARKS: Layout is to scale as of 1962.

PREPARED BY
BUREAU OF POLICY & PLANNING
IN COOPERATION WITH
U. S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 5080B
TRUNK HIGHWAY 90
COUNTY Mower
DISTRICT 6B

LIMITS: Jct. T.H. 56 - E. Co. Line
Ref. Pt. 183+00.846 - 204+00.686



YEAR BUILT	PROJECT No	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
C	5080-125	Grading	24'	7"	Spec. 2331
		Bit. Surfacing		3"	Spec. 2341
				1"	Spec. 2361
C	5080-122	Mill & Bit. Overlay	24'	3 1/2"	Spec. 2341
C	5080-126	Mill & Bit. Overlay	24'	3 1/2"	Spec. 2341
M	5080-94144	Major Crack Repair			
S	5080-146	Milling			W.B. only
		Bit. Overlay	24'	var.	Spec. 2360
		Conc. Overlay	27'	8"	Unbonded
R	5080-152	Milling	24'	2"	E.B Rdwy only
		Bit. Overlay	24'	1 1/2"	Spec. 2360
S	5080-155	Conc. Rehab.			E.B. Lanes Only
	5080-158	Conc. Rehab.			W.B. Rdwy. Only
	5080-162	Conc. Rehab			C2
		Bit Shoulders RT			EB



YEARS FROM TO		TOTAL MILES	UNINCORPORATED RDWY. MI. BR. MI.		INCORPORATED RDWY. MI. BR. MI.		RURAL RDWY. MI. BR. MI.		URBAN RDWY. MI. BR. MI.	

REMARKS: